

An ISO: 9001:2008
Certified Co.

SHEKHER
An ISO: 9001:2008 Certified Co.



Animal Healthcare

Is Our Profession



Shekher Pharmaceuticals Pvt. Ltd.



Krishnavet Suspension

LIVAMISOLE

EFFECTIVE AGAINST BOTH IMMATURE AND MATURE STAGES OF ROUND WORM, TAPE WORMS

Significant Advantages:

- ▶ Eliminates liver flukes efficiently
- ▶ Safe in weak, debilitated, pregnant lactating animals
- ▶ Can be administered during vaccination
- ▶ Kills both mature & immature flukes in the duct
- ▶ Breaks the cycle of Reinfestations

+ OXYCLOZANIDE

HIGHEST EFFICACY AGAINST ELEMINATION OF LIVER FLUKES WITHOUT ANY SIDE EFFECTS

COMPOSITION

Oxyclozanide I.P.Vet 3.0%w/v
Levamisole HCL B.P.vet Eq. to Levamisole 1.5% w/v

DOSAGE

10 ml per 30Kg body wt.



Presentation

90 ml, 120 ml, 150 ml, 500 ml & 1 Ltr.

Krishnavet Bolus

The Power of 2 in 1

COMPOSITION

Oxyclozanide	I.P. vet	1000 mg.
Levamisole Hydrochloride	eq. to Levamisole	B.P. 500 mg.

DOSAGE

1 Bolus per 100Kg body wt. Or as directed by your veterinarian



Presentation

10 x 4 Bolus

Krishnavet-DS

COMPOSITION

Oxyclozanide	I.P. Vet	6% w/v
Leavamisole HCl	B.P. Vet	3%w/v

DOSAGE

Administered as oral drench @ 1 ml. per 4 Kg Body weight for Sheep, Goat & Cattle or as directed by the Veterinarian



Krishnavet is also available in Double Strength




Presentation

90 ml & 120 ml, 500 ml, 1 Ltr.



Alsizole MICRONISED

Albendazole Oral Suspension I.P. 25 mg.



Presentation

30 ml., 60 ml., 90 ml., 1 Ltr. & 5 Ltr.

Indications:

- ▶▶ Gastrointestinal
- ▶▶ Nematodes
- ▶▶ Lungworms
- ▶▶ Tapeworms
- ▶▶ Amphistomes

**Better Choice for
total Deworming**

**"Regular Deworming
after every three months
improve milk production"**

Dosage:

Albendazole 5 mg. per Kg of body weight

Cattle : 60-90 ml.

Sheep & Goat: 2-3 ml. per 10 Kg. of body weight

Poultry : 30-45 ml. for 100 birds

Dosage to be increased as per
veterinarians advise

Msheecure

Meloxicam, Paracetamol & Dicyclomine HCl Bolus

Suitable Choice in treatment of Inflammation, Fever & Pain

**The Most
Powerful NSAID
in Veterinary Practice**



Presentation

Strip of 4 boluses x 10 strips / box

- ✓ Outstanding Antipyretic
- ✓ Rapid Onset of Action
- ✓ Excellent anti-exudative
- ✓ Long acting anti-inflammatory & analgesic
- ✓ Safe in pregnant & young animals
- ✓ Least Pain on Administration

Dosage:

Large animals : 1 to 2 bolus daily

Small animals : ½ to 1 bolus daily

Or as directed by the veterinarian

Each uncoated bolus contains :

Meloxicam	BP	100 mg.
Paracetamol	IP	1500 mg.
Dicyclomine HCl	IP	100 mg.



LIVSHAKTI

Natural way to cure liver disorders of diverse etiology

जिगर (Liver) शरीर का एक अत्यन्त महत्वपूर्ण अंग है। पशु व पक्षियों द्वारा खाये जाने वाले चारे/दाने में मौजूद चर्बी, प्रोटीन व अन्य पोषक तत्वों को हज्म करने में जिगर से निकलने वाले पित्तरस का महत्वपूर्ण योगदान होता है।

आमतौर पर संक्रामक रोगों, रासायनिक कृमिनाशकों, अंग्रेजी औषधियों, तथा फफूँद लगे या विषैले चारे/दाने के खाने से जिगर क्षतिग्रस्त हो जाता है, उस दशा में जिगर से पित्तरस का निकलना कम हो जाता है, जिससे हाजमा कमजोर हो जाता है तथा उत्पादन घट जाता है।

लिवशक्ति पिलाने से आवश्यक मात्रा में पित्तरस मिलता रहता है, जिससे चर्बी तथा भोजन के अन्य अंश आसानी से पच जाते हैं। यदि लिवर निष्क्रिय हो गया हो तो लिवशक्ति के उपयोग से वह पुनः सक्रिय हो जाता है।

A UNIQUE COMBINATION OF POTENT MEDICINAL HERBAL EXTRACTS-STIMULATES & INCREASES THE FUNCTIONAL EFFICIENCY OF THE LIVER.

DOSAGE

Cows, Buffaloes	
Horses, Sheep	: 50 ml Twice daily
Goats, Calves,	
Dogs	: 25 ml Twice daily
Chicks/100 birds	: 5 ml/day
Growers/100 birds	: 10 ml/day
Layers/100 birds	: 20 ml/day



Presentation

500 ml., 1 Ltr., 2 Ltr. & 5 Ltr.

LIVSHAKTI[®] Plus

Multivitamin, Liver Extracts with choline Chloride & Enzyme with added advantages of B-Complex

INDICATIONS:

Anorexia, Ruminal Atony, Indigestion, Liver Fluke Infestation, Stress syndrome and deficiency diseases, Anaemia & Following Treatment of blood Protozoa, Aflatoxicosis, Fatty Liver syndrome, for high Performance & speedy revitalization.

DOSAGE:

Large Animal	: 50 ml. daily
Small Animals	: 20-30 ml. daily
FOR 100 BIRDS POULTRY	
Broilers	: 5-10 ml. Daily from 2nd to 6th week.
Growers/Layers	: 20 ml. Daily for 10 days
Dogs	: 5 ml. Daily for 3 weeks.

COMPOSITION

Each 30ml. contains :

Liver Fraction	125 mg.
Yeast Extract	40 mg.
Inositol	20 mg.
Folic Acid	10 mg.
Vitamin E	5 mg.
Vitamin B12	6.25 mcg.
Ferrous Chloride	80 mg.
Choline Chloride	15 mg.
Nicotinic Acid	20 mg.
Fungal Diastase (1:1000)	30 mg.
Pepsin (1:3000)	10 mg.
Flavoured Syrup base	q.s.
(Appropriate overages added)	

Liv-Shakti protects liver & enhances production naturally.



Presentation

120 ml, 200 ml, 500 ml, 1 Ltr & 5 Ltr



Vetnorm-TZ

- ▶ Urogenital infections
- ▶ Combination of Norfloxacin & Tinidazole is superior Bactericidal than any oral or Parenteral Antibacterial Agent
- ▶ Convenient dosage regimen for easy administration.

Norfloxacin 1200 mg. + Tinidazole 1800 mg. Bolous

Vetnorm-TZ
It never fails



Presentation
4'sx8 Strips / Box

DOSAGE

Large Animals :
1-2 Bolus twice daily
Small Animals :
½-1 Bolus twice daily
Or as directed by the veterinarian


कभी-कभी बुखार भी रहता है
वेटनोरम-टी.जेड आँत और खून
में बैक्टीरिया के इन्फेक्शन को
खत्म कर डायरिया (दस्त) को
रोकता है।

चारे-दाने की गड़बड़ी, सर्दी अथवा लू लगने, बासी, खट्टा, जहरीला अथवा फफूँद लगा चारा खाने, पेट के कीड़ों, सफर की थकान, पेट में गड़बड़ होने पर पशुओं को प्रायः दस्त लग जाते हैं या गोबर पतला आने लगता है। इन सभी अवस्थाओं में पशु के बार-बार दस्त या पतला गोबर करने के कारण उसके शरीर से पानी की काफी मात्रा बाहर जाने से वह कमजोर हो जाता है तथा उत्पादन व कार्यक्षमता घट जाती है। समय से उपचार न किये जाने पर पशु की मृत्यु भी हो सकती है।

इन परिस्थितियों में ऐसी औषधि दी जानी चाहिए जो तुरन्त दस्त एवं पेचिश को रोकने में सक्षम हो। ऐसी ही सर्वोत्तम औषधि है वेटनोरम-टी.जेड, जो दस्तों को कुछ घण्टे की अवधि में रोक देती है और शीघ्र पूर्ण आराम दिलाती है।

SHEBOOST Bolus

A unique combination of liver, amino-acids enzymes & probiotics



Presentation
4's x 10 strips / Box

Dosage:

Large animals : 1 to 2 bolus daily
Small animals : ½ to 1 bolus daily

First choice in treatment of anorexia & indigestion

- Stabilises ruminal pH between 6.4 to 7.00
- Stimulates immunity²
- Helps beneficial bacteria to proliferate
- Releases B group of Vitamins & enzymes
- Fungal diastase improves the digestion process by 40%

Each bolus contains:

Live yeast culture	3 gm.
Liver Extract	5 mg.
Live Lactobacillus Sporogenes	20 million CPU
Amino acids	2 gm.
Fungal Diastase	50 mg.
Excipients	q.s.



MILKO-O-BOON Tablets /Granules

Milking More Profit from your Dairy Head

- Milko-Boon contains Leptadenia which offer Lactogenic & Galactogogue action to increase & maintain milk production.
- Milko-Boon contains Shatavari which induces secretion of prolactin and thus maintains peak milk yield.
- Milko-Boon improves fat percentage in milk & regulates the milk cycle.
- Milko-Boon offers outstanding benefits in improving quality and quantity of milk in cattle.

Administration :

Orally, 15 tablets twice on the first day (loading dose) immediately after calving, followed by 5 tablets twice a day for 10days. (Total 90 tablets course
In Milk let-down failure, continue administration for minimum 15 days.

Milk-O-Boon Granules Feeding Schedule:

15 gm Twice daily or as directed by the Veterinarian



Presentation
100 Tablets



Presentation
400 gm

Tick Nashak Pour-on

Flumethrin 10 mg.


Ectoparasiticide

Uses and indications:

For control and management of all tick species including strains resistant to carbamates, amidines, chlorinated hydrocarbons, organophosphates and organochlorine group of insecticides

Dosage and administration:

Apply TICK NASHAK, 1.0 ml /10 kg body weight, evenly along mid line of back from front of shoulder to tail setting using TICK NASHAK-self applicator bottle.



Presentation

10 ml. & 40 ml.

Tick Nashak - It never fails

Notox Liquid

Poultry Feed Supplement

Anti toxic & Antifungal Formula

Feeding Direction of Usage :

1-2 per liter of water once a day for 4-6 days

Spray: Dilute 50 ml in 1 Litre of water

Composition :

Copper Sulphate	25%
Propionic Acid	5%
Acid Acetic Glacial	2%
Lactic Acid	1%
Forbic Acid	1%
Excipients	q.s.

Presentation

100 ml, 250 ml., 500 ml. & 1 Ltr





Presentation

500 ml

Rakkt Plus

Oral Suspension

COMPOSITION:

Each 50 ml. contains:

Chelated Ferrous Glycinate	2250 mg.
Eq. to 450 mg. of Iron	
Chelate Copper Glycinate	450 mg.
Eq. to 90 mg. of Copper	
Chelated Cobalt Glycinate	30 mg.
Eq. to 3 mg. of Cobalt	
Cholecalciferol	10500 IU
Niacinamide	150 mg.
Folic Acid	8.75 mg.
Cyanocobalamin	60 mg.
Pantothenic Acid	110 mg.
Vitamin E	10 IU
Appropriates of overages of vitamins added to compensate loss on storage.	

Benefits:

- Supports Erythropoiesis.
- Helpful in Anemic Conditions.

Feeding Directions:

Cattle & Buffalo: 40-50 ml. daily orally.

Calves, Sheep & Goat: 10-15 ml. daily

Poultry: 7 days in each month.

Chicks, Grower: 10 ml./100 birds

Broilers & Breeder: 20-30 ml./100 birds orally or as directed by the Veterinarian.



Presentation

450 ml

Vetroferrol Vet

Benefits:

- Increases milk production
- Ensures letdown of milk
- Increases lactation period
- Improves udder health
- Increases fat percentage of milk

Recommended usage:

Cattle, Buffaloes & Horses:

30 to 50 g daily.

Calves, Sheep & Goats:

10 to 15 g daily.

Camel:

10g 100 kg. b. wt. daily

Swine - Adult:

25 to 30 g daily.

Grower - 5 - 10 g daily

COMPOSITION:

Each 21 g contains:

Malt Extract	4.52 g
Calcium Gluconate	360 mg.
Ferric ammonium citrate	300 mg.
Copper Sulphate	100 mg.
Cobalt Chloride	1.5 gm.
Cholecalciferol	3600 I.U.
(Stablized vitamin D3)	
Niacinamide	45 mg.
Biotin	75 mcg.
Folic Acid	1.5 mg.
Cynocobalamin	15 mcg.
(Vitamin B12)	
Flavoured base	q.s.
Colour caramel	



MILK-O-PLUS BOLUS

For increased milk production & easy letdown of milk...

COMPOSITION:

Each bolus contains:

Tribasic Calcium Phosphate	4.8 gm
Eq. to 4.2 gm. Ca3 (PO4)2	.
Vitamin A	50000 IU
Vitamin D (Cholecalciferol)	20000 IU
Vitamin E	25 mg.
Vitamin H	100 mcg.
Vitamin B12	100 mcg.
L-Lysine	125 mg.
Leptadaenia	350 mg.
Asparagus Racemosus	2000 mg.
Copper MHA	50 mg.
Manganese	25 mg.
Zinc MHA	500 mg.
Excipients	q.s

- Increases milk Production
- Ensure letdown of milk
- Increases lactation period
- Improves udder health
- Increases fat percentage of milk



Presentation 1 x 15 Bolus

Milk-O-Plus[®] GEL

Milk-O-Plus Gel is comprehensive nutritional supplement formulated to supply the essential nutrients to dairy animals.

COMPOSITION:

(Each 100 ml of Milk-O-Plus gel Provides)

Calcium	6600 mg.
Phosphorus	3400 mg.
Vitamin D3	32000 I.U.
Vitamin B12	400 mcg.
Pueraria Mirifica ext.	200 mcg.
L-Lysine	500 mg.

Appropriate overages of Vitamins are added & used colour.

Usage:

For higher milk yield, administer one bottle per animal per day for 5-10 days or as directed by the Veterinarian.

Indications:

- As an aid to prevent milk fever & associated complications.
- As an aid to increase milk yield.
- As an aid to favour the normal contraction of uterus normal calving & timely expulsion of Placenta.



Presentation 300 ml



**The Perfect Combination
for Intrauterine therapy**



Presentation

Strip of 4 boluses × 10 strips / box

Usse-safe BOLUS

**Nitrofurazone, Metronidazole,
Urea and Povidone Iodine**


DOSAGE

Cows, Buffaloes Mares : 2 to 4 bolus (with aseptic precaution) intrauterine into both affected & normal horns. Repeat the treatment after 24hrs.

Or as directed by your veterinarian

TO BE USED IN

- Endometritis
- Metritis
- Pyometra
- Dystokia
- After Parturition
- Retained Placenta



Presentation

Strip of 2 boluses × 12 strips / box

THEMox Bolus

Amoxicillin 1.5 g.


The Comprehensive Antibiotic Cover for follow up Therapy

Exclusive Advantages :

Respiratory Tract Infections, Urinary Tract Infections, wound Infections, Otitis, Mastitis, Calf Scours, HS, Metritis, BQ.

DOSAGE : 7 mg. per kg body weight

Or as directed by your veterinarian



Presentation

200 gm, 500gm & 1 kg.

Composition:

Each 50 gm. contains:	
Vitamin A	1000 I.U.
Vitamin E	68.08 mg.
Vitamin C	230 mg.
Vitamin B1	56.36 mg.
Vitamin B6	68.00 mg.
Sodium Chloride	160mg.
Potassium Chloride	1 gm.
Sodium Bicarbonate	600 mg.
Sodium Acid Phosphate	160 mg.
Sodium Citrate	1.3gm.
Calcium Lactate	340 mg.
Magnesium Sulphate	200 mg.
Choline Chloride	102.06 mg.
Dextrose	q.s.

Shekherlyte

Anti stress formula for poultry & cattle

शेखरलाईट एकमात्र ऐसा उत्पाद है जो आपके पशुओं एवं मुर्गियों को समर स्ट्रेस व कोल्ड स्ट्रेस से बचाता है।

Dosage & Administration:

Poultry: 1 gm/1 Ltr with fresh water

Large Animals:

50 gm. twice daily with drinking water for 3-5 days

Small Animals:

20-25 gm. daily for 3-5 days.

or as directed by the Veterinarian



Shephos[®]

Improve conception rate significantly

COMPOSITION:

Each uncoated bolus contains:

Sodium Acid Phosphate 10 gm.

Excipients q.s.

Dosage :


Large animals : 1-2 bolus twice daily.

Small Animals : ½-1 bolus twice daily
or as directed by the Veterinarian

Infertility due to Cow Factors Like

- Silent heat
- Delayed ovulation
- Ovarian inactivity
- Problem related to fixation of zygote
- Bull factor like poor semen quality

One of the important cause is Phosphorus deficiency



Presentation

10 × 1 Bolus

Shekher Gold

Vitamins & Minerals Feed Supplement for Improved Fertility & Productivity

समस्या

अगर आपके पशु में गर्भधारण की क्षमता कम हो गई है ? शारीरिक विकास कम हो गया है?, रोग प्रतिरोध क्षमता कम हो गई है?, जरूरी विटामिन्स और मिनरल्स की शरीर में कमी, जरूरी विटामिन्स और मिनरल्स की कमी के कारण पशुओं का हीट में न आना, पशुओं का बार बार रिपीट होना।

समाधान

शेखर गोल्ड में है आवश्यक मिनरल्स जैसे कि फास्फोरस, कॉपर, कोबाल्ट, मैंगनीज़, आयरन, जिंक और आयोडीन की ज्यादा मात्रा। आवश्यक विटामिन्स जैसे कि विटामिन A, विटामिन D3, विटामिन E और निकोटीनामाईड की ज्यादा मात्रा है जो पशुओं के दाना चारे में विटामिन की कमी को पूरा कर प्रजनन क्षमता बढ़ाता है जिससे पशु समय पर हीट में आते हैं, गर्भ धारण करते हैं, तन्दरुस्त रहते हैं।

इस्तेमाल का तरीका


30 से 50 ग्राम (मुट्ठी भर) शेखर गोल्ड प्रति पशु प्रतिदिन दीजिए।



Formula for More Milk & Good Health

Presentation

100 gm, 200gm.,
500 gm., 1 Kg. & 5 Kg.



Presentation
100 ml

GASUP

गैस/अफ़ारा नाशक एक प्रभावी औषधी

गाय, भैंस, भेड़ तथा बकरी आदि में अफ़ारा हो जाना एक आम बीमारी है। पशुओं के द्वारा सड़ा-गला दाना, ज़हरीले पौधे, बारीक दाना या हरा चारा अधिक मात्रा में खा लेने पर उनके पेट में गैस अधिक बनने लगती है व गैस के बाहर न निकल पाने के कारण पेट दर्द तथा अफ़ारा हो जाता है। इस दशा में पशु का पेट फूल जाता है, सांस लेने में तकलीफ़ होती है व बेचैनी होने लगती है। **गैसप** न केवल पेट में एकत्र गैस को बाहर निकालता है बल्कि पेट में आगे अधिक गैस बनना भी रोकता है। तथा **गैसप** हाज़मा भी ठीक करता है

खुराक एवं प्रयोग विधि:

गाय, भैंस ७५/१०० मि. लि.
भेड़, बकरी २०/२५ मि. लि. बराबर
मात्रा में पानी के साथ मिलाकर दें

Kriszide

SUSPENSION and BOLUS

लिवरफ्लूक तथा एम्फिस्टोम के उपचार में अत्यंत लाभकारी



पत्तों के आकार वाले लिवरफ्लूक (जोखों) एवं शंख रुपी एम्फिस्टोम (रुमेनफ्लूक) परजीवी कीड़े मवेशियों, भैंस, गाय, भेड़ एवं बकरी के लिवर और पेट में पाये जाते हैं। इन सबसे निजात पाने का एकमात्र कारगर उपाय क्रिसजाइड है। क्रिसजाइड वयस्क लिवरफ्लूक के खिलाफ **100%** करगर औषधि है।

Each ml. contains :
Oxyclozanid.P. (Vet) 3.4% w/v
Purified water I.P. Q.S.

Dosage :
Cattle & Buffalo 30 ml. per 100 Kg. Body weight
Sheep and Goat : 5 ml. per 15 Kg. Body weight
As directed by the Veterinarian.



Presentation
100 ml & Blister of 10x4 Boluses

लक्षण

- आँख से पीले रंग का कीच निकलना
- जबड़ों के नीचे सूजन
- दुबलापन, वजन में भी गिरावट
- दूध उत्पादन में कमी
- भूख में कमी, दुर्गन्धयुक्त पतला गोबर करना

Each Krishzied Bolus contains :
Oxyclozanide 1g.

Dosage :
1 Bolus / 100 kg body weight



THEFLOX-TZTM


An Ideal Combination of Ciprofloxacin & Tinidazole

- ▶ Rapidly and totally absorbed from the gastrointestinal tract after oral administration
- ▶ Highly bio-available
- ▶ High body fluid and tissue concentration equivalent / exceeding plasma concentration
- ▶ Persistent inhibition of microbial growth
- ↔ Complete efficacy against Gm+, Gm-, Aerobic, Anerobic bacteria & Protozoa
- ↔ Fast acting antidiarrhoeal with prolonged bactericidal effect
- ↔ A broad spectrum combination having antibacterial, antiprotozoal & antifungal activities.
- ↔ Ciprofloxacin is most active (83%) against uterine bacterial culture.

Dosage :

Large animals : 1 bolus / 300kg b.wt
or as directed by the Veterinarian

Each uncoated bolus contains :
Ciprofloxacin Hydrochloride I.P.
equivalent to Ciprofloxacin 1500 mg.
Tinidazole I.P. 1800 mg.



Presentation

Strip of 2 boluses x 10 strips / box

THEFLOX TZ (I.U.)

(Ciprofloxacin 125mg + Tinidazole 150 mg. Intrauterine Infusion)

INDICATIONS


- Safe for endometrial tissues with no irritation
- Complete efficacy against infections of aerobic, anaerobic bacteria and protozoa
- Highly effective in Metritis, Pyometra and Repeat breeder condition
- Theflox TZ (I.U.) can be given intrauterine prior to insemination in cases of repeat breeding because it has no detrimental effect on sperm.

Infertility.

Uterine Infection

Failure of Conception

Dose : Continue treatment for 3 to 5 days or as directed by the veterinarian
Adult Cow / Buffalo / Mare : 60 ml. by IU route




Presentation

60 ml.



Sheplex LIQUID



Presentation

120 ml, 500 ml, 1 Ltr & 5Ltr

Feed Supplement of Amino Acids & B-Vitamins for Poultry & Livestock

Benefits : Improves growth rate by proper feed utilization. Improves egg production in poultry. Keeps cattle healthy.

Liquid : Extra Power B Complex Liquid Supplement with Lysine and Choline Chloride for poultry & cattle.

Dose : To be given daily as such or through drinking water, as below :

Cattle & Horse	30-50 ml
Calf, Sheep, Goat & Pig	10-20 ml
Dog	5-10 ml


POULTRY FOR 100 BIRDS

Chicks	5-6 ml
Growers / Broilers	8-10 ml
Layers	10-15 ml

COMPOSITION

Vitamin B1	7.0 mg
Vitamin B2	2.5 mg
Vitamin B6	1.0 mg
Vitamin B12	12.5 mcg
Biotin	25.0 mcg
Calcium Pantothenate	2.5 mg
Niacin	75.0 mg
Choline Chloride	10.0 mg
Methionine	10.0 mg.
Lysine	20.0 mg
Betaine	250.0 mg
Cabalt sulphate	4.0 mg

Shevital LIQUID



Presentation

30 ml, 60ml, 100 ml, 500 ml & 1 Ltr

Liquid supplement of Vitamins for cattle & poultry feeding

- Stamina improvement
- Shortening recovery period after chronic illness
- Stress conditions (associated with low temp.)
- Maintains healthy skin, coat & hoof conditions
- Acts as an immunity booster
- Improves fat percentage of milk
- Prevents retention of placenta

Dose

Cattle	20 ml daily
Calves	5 ml daily
Sheep & Goats	5 ml daily
Poultry (for 100 birds)	
Chicks	5ml daily
Growers	7ml daily
Layers	10ml daily

or As directed by the Veterinarian

Composition

Vitamin A	120000 IU
Vitamin D3	60000 IU
Vitamin E	15 mg
Vitamin B12	20 mcg
Vitamin H (Biotin)	1.5 mg
Vitamin C	10 mg
Zinc	180 mg
Cobalt	1 mg
Selenium	1 mg



Theflox TZ

(Ciprofloxacin+Tinidazole Suspension)

COMPOSITION:

Each 5ml Contains

Ciprofloxacin Hcl

Equivalent to Ciprofloxacin IP 125 mg

Tinidazole IP 150 mg

INDICATIONS:

Live Stock : Anthrax, Colibacillosis, HS, B.Q., Enterofoxamia, Actinomycosis, Mastitis, Strangles, Infectious Keratitis, Infectious Poly Arthritis, Respiratory Tract infections, GI-Tract infections, urogenital tract infections etc.

POULTRY:

Salmonellosis, Infectious Coryza, Fowl Cholera, Coccidiasis, GL Tract infections Respiratory Tract infections, Mycoplasma, Bcoli etc.

DOSAGE:

Live Stock : 1ml per 10kg body weight

Poultry : 60/70 ml. per 100 birds
40/50 ml. per 100 Growers
15/20 ml. per 100 Chicks



Presentation

60ml/ 100 ml / 500 ml/ 1 lit / 5lit

SHECOF

जुकाम, खाँसी एवं सांस के रोगों का सम्पूर्ण उपचार

सर्दी, बरसात व नमी होने पर, पशुओं को प्रायः ठन्ड लग जाने से खाँसी तथा जुकाम हो जाता है। ऐसी अवस्था में फेफड़ों में बलगम जमा हो जाने तथा सांस की नली में सूजन आ जाने के कारण पशु को साँस लेने से तकलीफ होती है। नाक तथा आँख से पानी गिरने लगता है। इन परिस्थितियों में **शीकोफ** के उपयोग से खाँसी व जुकाम ठीक हो जाता है, फेफड़ों में जमा बलगम निकल जाता है। इसके साथ ही पशु सामान्य रूप से चारा खाने लगता है।

COMPOSITION :

Each 100 ml. Contains the extracts from (IN%) Vasa 20%, Yasti 10%, Tulasi 20%, Kantakari 15%, Nirgundi 8%, Kakar Singhi 2%, Ammonium chloride 4%, Sodium chloride 1%, Excipients Preservatives q.s., Water q.s.,

DOSAGE :

Cows, Buffaloes, Horses :
30-40 ml. Twice daily for 3-5 days
Calves and Heifers :
15-20 ml. Twice daily for 3-5 days



Presentation


200ml, 400 ml.,
500ml & 1 Ltr.



Let them back to
the nature with

UNEEZYME-VET

**Time Tasted Herbal Appetite
Stimulant & Digestive Tonic**



Presentation
15 gm, 100 gm,
250 gm & 500 gm

विवरण: पशुओं में भूख न लगना, चारा न खाना, अथवा कम खाना, लीवर की कमजोरी बदहजमी एक आम स्थिति है जिस कारण वह कमजोर होने लगता है और उत्पादन घटने लगता है।

रोग के लक्षण: ✓ जुगाली करना बन्द कर देना। ✓ भूख में अचानक कमी आना। ✓ दूध उत्पादन कम होना। ✓ गोबर की मात्रा में कमी या पतला गोबर करना।

लाभ: ✓ पशुओं में पाचन सम्बन्धी कार्यों को नियमित कर भूख बढ़ाता है। ✓ पाचक रसों के उत्पादन व स्त्राव को बढ़ाता है। ✓ पशु के रुमेन में पाये जाने वाले लाभकारी जीवाणुओं की मात्रा में वृद्धि करता है। ✓ लीवर को शक्ति प्रदान कर सक्रिय रखता है।

DOSAGE :

Large Animals : 40 gm daily

Medium Animals : 20 gm. daily

Small Animals : 10-15 gm. daily

Administer orally with gur or electuary

UTROCARE

Superior Expeller of Delayed Placenta & Restorative



Presentation
500 ml. & 1 ltr.

गुण एवं उपयोगिता :

- ✓ यूट्रोकेयर बियाने के बाद जेर आसानी से व पूरी तरह बाहर निकलने में मदद करता है व गर्भाशय की सफाई करता है।
- ✓ यूट्रोकेयर कड़ पूर्णतया व समय से पहले छट जाने से गर्भाशय में संक्रमण जैसे मैट्राइटिस पायोमैट्रा (गर्भाशय में मवाद) आदि नहीं होता है।
- ✓ यूट्रोकेयर बियाने के पश्चात् गर्भाशय को शीघ्र ही उसकी पूर्व अवस्था में लाकर, गर्भाधान के लिए अनुकूल बनाता है।
- ✓ यूट्रोकेयर गर्भाशय को शक्ति प्रदान करता है, जिससे पशु गर्मी में आकर गर्भाधारण करता है।

**For complete expulsion of placenta, uninterrupted
productivity & safety**

DOSAGE:

Cow/Buffalo 100 ml

Sheeps/Goats 50 ml

To be given twice on the first day, soon after parturition the dose to be repeated once daily for 3 days OR as directed by the veterinarian



Cham-D-Cure

Wide Spectrum Skin Ointment

CHAM-D CURE is a broad-spectrum dermatological, effective in a wide variety of skin affections. It does not produce local tissue irritation, allergic reaction or topical toxicity. **CHAM-D CURE** is available as ointment for general use,

INDICATIONS :

In fungal infection & Other skin infection, Mange, Ringworm, Eczema, Degnalla, Foot-Rot in Sheep and Foot lesions in Foot and Mouth Disease. For all types of wounds including Surgical Wounds, Broken Horn and Burns.

ACTIONS :

Antiseptic, Antifungal, Antipruritic Anti-inflammatory, Fly-repellent, Miticide and Vulnerary. Skin Ointment

COMPOSITION:

Each 100 g. contains:
Neem Oil (Azadirachata Indica) 10 g.
Indradaru Oil (Cedrus deodara) 15 g.
Surbhidaru Oil (Pinus Longifolia) 20 g.
Somvalka Oil (Pongamia Glabra) 25 g.
Arand Oil (Ricinus Communis) 10 g.
Bakuchi Oil (Psoralea Corylifolia) 1 g.
Kokum Butter (Garcinia Indica) 1 g.
Absorption base q.s.

DIRECTIONS FOR USE :

Clean the affected part and apply **Cham-D-cure** once / Twice a day or as advised by the Veterinarian



Presentation 25 g & 50 g

Musticute

Each 50gm Contains

Vitamin A	70,000 IU
Vitamin D3	20,000 IU
Vitamin E	1,000 IU
Vitamin C	50 mg
Niacin	2000 mg
Thiamine Hydrochloride	200 mg
Riboflavin	200 mg
Pantothenic Acid	50 mg
Biotin	20 mg
Methionine	10 gm
Manganese Sulphate	4000 mg
Copper Sulphate	1200 mg
Zinc Sulphate	500 mg
Cobalt Sulphate	50 mg
Selenium	4 mg
Live Yeast	50,000million CFU
Trisodium Citrate Dihydrate	25 gm
Potassium Iodide	1250 mg
Aloe Vera	1.5 gm
Tulsi	1 gm
Excipients	q.s.
Contains Permitted Class II Preservative & Permitted Flavour Protect from light	

- MUSTICUTE is an ideal formulation for management of mastitis
- Musticute has been found to be highly effective in cases of subclinical mastitis and as an adjunct to antibiotic therapy in clinical mastitis
- Musticute acts as a milk ph buffer and normalizes the milk ph from alkaline to normal i.e. 6.5 This makes the milk unfavourable for microbial growth and free from bacterial contamination.
- MUSTICUTE enhances cellular antioxidant level ,which reduces cellular oxidation and prevents mastitis.

Feeding Schedule:- 50 gm powder daily for 4 consecutive days as an electuray by mixing with jaggery.



Presentation 50 G



MILK-O-PLUS

An advanced formula enriched with Calcium, Phosphorous, Vit B12, D3, Leptadenia, Asparagus & Jeera.

To Achieve More Production at the Lowest Cost



Presentation

500 ml., 1 Ltr., 2 Ltr. & 6 Ltr.

उपयोग :

- ▶ दुधारु पशुओं में दुग्ध-उत्पादन बढ़ाने हेतु।
- ▶ गर्भावस्था एवं दुग्ध-उत्पादन के समय कैल्शियम की अधिक आवश्यकता पूर्ति हेतु।
- ▶ बछड़ों आदि के पूर्ण शारीरिक विकास, हड्डियों तथा मांसपेशियों की मज़बूती के लिए।
- ▶ पशुओं में कैल्शियम एवं फॉस्फोरस की कमी से होने वाले हड्डी सम्बन्धी विकारों व मिल्क फीवर से बचाव के लिए।

DOSAGE :

CATTLE/BUFFALO : 100 ml DAILY,
CALF/GOAT/SHEEP : 50 ml DAILY

COMPOSITION :

Each 100 ml. contains :

Calcium	1750 mg.
Phosphorus	900 mg.
Vitamin D3	7500 I.U.
Vitamin B12	100 mcg.
Leptadenia reticulata (Jiwanti)	1000 mg.
Asparagus racemosus (Satawari)	1000 mg.
Cumminum cynimum (Jeera)	100 mg.
In a flavoured syrupy base	Q.S
Colour : Erythrosine	

Chelated Milk-O-Plus-Forte®



Presentation

500 ml., 1 Ltr., 2 Ltr & 6 Ltr.

- Ensures more milk production.
- Increases fertility.
- Prevents rickets Stunted Growth Prolapse & Pica
- Prevents milk fever
- Supportive therapy in Pregnancy
- Overcome Calcium & Phosphorus deficiencies

COMPOSITION :

Each 100 ml. contains :

Calcium	3500 mg.
Phosphorus	1800 mg.
Vitamin D3	15000 I.U.
Vitamin A	45000 I.U.
Vitamin B12	200 mcg.
Leptadenia reticulata (Jiwanti)	1000 mg.
Asparagus racemosus (Satawari)	1000 mg.
Cumminum cynimum (Jeera)	100 mg.
In a flavoured syrupy base	Q.S
Colour : Erythrosine	

DOSAGE :

Cow/ Buffalo/ Horse : 100 ml daily
Calf/ Sheep/ Goat : 50 ml daily,
Dog/ Cat:20 ml daily

Chelated MILK-O-PLUS-AD₃

Gold

Mango Flavour

Composition :

Each 100 ml. contains :

Calcium	3500 mg.
Phosphorus	1800 mg.
Vitamin A	45000 I.U.
Vitamin D3	15000 I.U.
Vitamin B12	200 mcg.
Leptadenia reticulata (Jiwanti)	1000 mg.
Asparagus racemosus (Satawari)	1000 mg.
Cumminum cynimum (Jeera)	100 mg.
In a flavoured syrupy base	Q.S
Colour : Pea Green	

Usage :

Cattle & Horses : 50-100 ml. daily.
Dogs/Goat/Sheep : 10-20 ml. daily.
or as directed by the veterinarian.

Vitamin A builds resistance against various diseases & prevents stress.

Vitamin A accelerates production & growth.

Presentation

500 ml., 1 Ltr., 2 Ltr & 6 Ltr.



MUSTICUTE

An Ayurvedic Veterinary Medicine

Topical Herbal Gel

COMPOSITION:

Each 10 gm. contains:

Curcuma Long Rz. Ext.	0.04 gm.
Glycyrrhiza glabra Rt. Ext.	0.10 gm.
Paedaria foetida Pt. Ext.	0.04 gm.
Cedrus deodara Ht. Wd. Oil	1.00 gm.
Eucalyptus globulus Lf. Oil	0.20 gm.
Shudh Gandhaka	1.00 gm.
Emulsifier gel base q.s.	10.00 gm.

Direction for use:

Wash udder & teats thoroughly after each milking. Apply twice daily sufficient quantity of **MUSTICUTE GEL** to cover the udder / infacted quarter for 5 days or as directed by the veterinarian.



थनैला रोग
की रोकथाम के लिए

- Treatment of Sub-clinical mastitis
- As prophylactic for control of mastitis
- Co-therapy in clinical/acute mastitis
- For improving milk quality
- For promoting udder health



Presentation 25 gm & 50 gm.

MUSTICUTE Bolus

COMPOSITION: (Each 50 gm. Contains)

Vitamin A	70,000 IU
Vitamin D3	20,000 IU
Vitamin E	1,000 IU
Vitamin C	50 mg
Niacin	2000 mg
Thiamine Hydrochloride	200 mg
Riboflavin	200 mg
Pantothenic Acid	50 mg
Biotin	20 mg
Methionine	10 mg
Manganese Sulphate	4000 mg
Copper Sulphate	1200 mg
Zinc Sulphate	500 mg
Cobalt Sulphate	50 mg
Selenium	4 mg
Live Yeast	50,000 million CFU
Trisodium Citrate Dihydrate	25 mg
Potassium Iodide	1250 mg
Aloe Vera	1.5 gm
Tulsi	1 gm
Excipients	q.s.
Contains Permitted Class II Preservative & Permitted Flavour	

Mastitis: Mastitis is an inflammation of the mammary glands caused by bacteria that enters the udder through the teats end.

मैस्टाइटिस के प्रकार

सब-क्लीनिकल मैस्टाइटिस

- दुध की मात्रा में कमी
- दुध की क्वालिटी में कमी
- दूध में अमल तत्वों का बढ़ना



खुराक :

सब-क्लीनिकल मैस्टाइटिस : 1 बोलस दिन में दो बार
माईल्ड-क्लीनिकल मैस्टाइटिस : 2 बोलस प्रातः एवं 1 बोलस शाम
मोडरेट/सेवर मैस्टाइटिस : 2 बोलस दिन में दो बार या पशु-चिकित्सक के निर्देशानुसार।

क्लीनिकल मैस्टाइटिस

माईल्ड मैस्टाइटिस

- छिछड़ी व पापड़ी को दुध में पाया जाना थनों के पास सूजन (थोड़ी)

मोडरेट एवं सेवर मैस्टाइटिस

- थनों की सूजन, दर्द व लाली
- दुध का असामान्य होना
- बुखार
- दिल की धड़कन का बढ़ना
- कमजोरी, सुस्ती व ढीला रहना

Presentation
10 x 4 Bolus



Ayurvedic Veterinary Medicine

CHAM-D-CURE

Herbal Spray



निशान न छोड़ने वाले
गुण के साथ

Indications: In fungal infection & other skin infection like, Mange, Ringworm, Eczema, Degralla, Foot-Rot in Sheep and Foot lesions in Foot and Mouth Disease. For all types of wounds including Surgical Wounds, Broken Horn and Burns

Actions: Acts as Antiseptic, Antifungal, Antipruritic Anti-Inflammatory, Fly-repellent.

Directions for Use: Clean the affected part and apply **Cham-D-Cure** once a day or as advised by the Veterinarian.

COMPOSITION:

Contains Oil Extract from:	
Devadaru (Cedrus deodara)	83%
Neem Oil (Azadirachata Indica)	3%
Haldi (Gurucuma Longa)	4%
Turpentine Oil (pinus Roxburgh)	10%
Excipients	

Presentation

100 ml.

SHEKHER BOLYTE

Nutrients Available :

Gluconeogenic Precursors fortified with vitamins



Presentation

500 ml & 1 Ltr.

Benefits:

- Helps to stop formation of ketone bodies
- Increase availability of energy/glucose
- Helps to enhance fermentation in the rumen

Usage :

Feeding Schedule :

Cattle 100 ml. to 200 ml. daily

Broilers:

10 ml/100 birds from 1st day upto 30 days

Chicks:

10 ml/100 birds from 1st day.

Grower:

10 ml/100 birds for 10 days.

Layer:

10 ml/100 birds for 10 days.

or as directed by the veterinarian.

Fleaguard

Enriched with Natural Oils & Aloe vera

SHAMPOO / SOAP

Fleaguard Nourishes & revitalizes dull and dry hair coat and strengthens the hair roots. It promotes growth and prevents hair fall in pets. It has antiseptic and antidandruff qualities which provides a Clean & healthy coat condition to pet.

Composition:

Fleaguard contains Cypermethrin 1% w/w. shampoo base: q.s. Natural Oils & Aloe vera, Colour: q.s., Perfume : q.s.

Direction for use :

Wet coat thoroughly Apply **Fleaguard** Massage gently to rich lather. Rinse Coat thoroughly. Repeat the process. Pet dry with towel.

Benefits :

Makes the coat beautiful, Clean, Soft & healthy. Regular use of **Fleaguard** controls dandruff & provides healthy coat condition free from doggy odour.

Effectively
& Safely Kills Ticks,
Mites, Fleas & Lice



Presentation

200 ml & 75 gm

SHE-CAL

Calcium, Phosphorus, Vitamin D3 & B12

Composition:

Each 20 ml. contains:
Calcium 325.6 mg.
Phosphorus 167.7mg.
Vitamin D₃ 1600I.U.
Vitamin B12 20 mcg.

Indications :

- Prevents rickets in young ones & Osteomalacia in adults
- Improves skeletal growth
- As calcium supplement in puppies, pregnant & lactating bitches

Dosage :

Pups & Cats :
5-10 ml twice a day
Adults :
10-20 ml twice a day
Pour directly into the mouth or mash in the food

- ➔ Helps in development of strong bones & teeth in growing puppies
- ➔ Stimulates excellent growth
- ➔ Ensures better lactation in nourishing bitches

**For strong bones
in growing dogs**

Meat
Flavoured



Presentation

200 ml.



www.shekherpharma.com

Shekher Pharmaceuticals Pvt. Ltd.

An ISO: 9001:2008 Certified Co.

P/284, Mohan Garden, New Delhi

E-mail: shekhervet@hotmail.com